

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

MODE	ACCESS CONTENTS
WRITING/READING MODE	NORMAL READ COMMAND AND WRITE COMMAND ARE ACCEPTED. CHANGE OF EACH PASSWORD OF DEFAULT INPUT, READING, AND READING/WRITING IS PERMITTED.
READ ONLY MODE	ONLY NORMAL READ COMMAND IS ACCEPTED. CHANGE OF EACH PASSWORD OF DEFAULT INPUT, READING, AND READING/WRITING IS PERMITTED.
SECURITY MODE	ACCESS IS INHIBITED. ONLY READ COMMAND OR WRITE COMMAND ASSOCIATED WITH PASSWORD INPUT IS ACCEPTED.

FIG. 6

PRESERVING MODE	DEFAULT INPUT PASSWORD STORING POSITION	PASSWORD STORING POSITION
1	DRIVE	DRIVE
2	MEDIUM	MEDIUM
3	DRIVE	MEDIUM
4	MEDIUM	DRIVE

2025 RELEASE UNDER E.O. 14176

FIG. 7





FIG. 8




[illegible]

FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14B




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24

